

INDEX MAPS.

T.14N. R.13E. 2nd Mer.

371	371	371	371	372	372
374 6 389	5 388	4 386	3 393	2 391	1 368
389	389	387	386	390	385
374 7 388	8 387	9 386	10 393	11 384	12 369
390	388	387	385	392	384
373 18 388	17 386	16 385	15 392	14 384	13 369
390	389	382	380	378	376
373 19 383	20 381	21 380	22 378	23 376	24 369
390	383	381	379	377	376
373 30 383	29 381	28 379	27 377	26 375	25 370
391	382	381	379	377	376
373 31 382	32 380	33 378	34 377	35 375	36 370
367	366 - 367	366 - 367	366 - 367	366 - 368	366 - 368

T.15N. R.13E. 2nd Mer.

399 - 401	399 - 401	399 - 401	399 - 400	400	400
403 6 426	5 420	4 416	3 412	2 408	1 398
425	425	419	415	411	407
403 7 424	8 419	9 415	10 411	11 407	12 398
424	424	419	415	411	407
403 18 423	17 418	16 414	15 410	14 406	13 397
425	425	418	414	410	406
402 19 422	20 418	21 414	22 410	23 405	24 397
422	422	417	415	409	405
402 30 421	29 417	28 413	27 409	26 405	25 396
421	421	416	412	408	404
401 31 420	32 416	33 412	34 408	35 404	36 396
394	394	394	395	395	396

The figures on the lines refer to the page.

Township N. 15 North Range N. 13 East 2nd Mer. Indiana.

Ch. M.

Township Lines.

South Boundary.

East On S. side of sec. 31.

20 a Brook 4 lb. wide course S.

8.50 To N. side of ~~Large~~ Pond 850 lb. wide
extending N. & S. about 30 lb. long crossed
it near ^{the} middle at right angles.
Land, level and good. Timber Sugar
Oak and Elm.

40.00 Set gr. sec. post from which
a Sugar 16 in. dia. bears N 49° W. 16 lb. dist.
a Sugar 6 " " " S 81° E. 24 " "

59.42 a Hickory 16 in. diam.

80.00 Set post cor. to Sec. 31 & 32, from which
an Ash 8 in. dia. bears S 70° E. 19 lb. dist.
a Sycamore 18 in. dia. " N 64° W. 30 " "
Rich Bottom land. Timber Sugar
Ash Buckeye &c.

East On S. side of sec. 32.

5.00 To River 200 lb. wide course S.

20.00 a Brook 100 " " " S.

40.00 Set gr. sec. post, from which
an Ash 16 in. dia. bears S 83° W. 44 lb. dist.
a Thorn 6 " " " S 83° E. 32 " "
Land, good. Timber Beech, Sugar
and Elm.

80.00 Set post cor. to Sec. 32 & 33, from wh.
a Sugar 18 in. diam. bears S 83° E. 24 lb. dist.
& a Beech 8 " " " S 78° W. 28 " "
Good Beech land.

East On S. side of sec. 33.

15.00 a Spring Course North.

31.00 a Do. 4 lb. wide course North

36.00 a Do. 3 " " " N. W.

S. 15 N. 16. 13 E. 2nd Mer. Indiana.

Ch. 40. Good Beech land & level.

40.00 Set gr. Sec. post, from which
a Beech 10 in. dia. bears N 40 E. 16 lb. dist. X
a Do. 14 " " " S 35 W. 37 " "

53. 39 a Poplar 50 in. diam.

80.00 Set post Cor. to Sec. 33 & 34, from which
a Sugar 4 in. dia. bears N 18 E. 12 lb. dist. and
a Beech 24 " " " S 3 W. 44 " "

Good Beech land.

East On N. side of Sec. 34.

10.00 a Brook 3 lb. wide course S. E.

13.00 a Do. 3 " " " N. E.

25.00 a Do. 4 " " " N

26.50 a Do 8 " " " N.

Good Beech land.

40.01 Set gr. Sec. post, from which
a Beech 12 in. dia. bears S 42 E. 12 lb. dist. X
a Do. 24 " " " S 37 W. 31 " "

71. 50 a spring course N.

80.00 Set post Cor. to Sec. 34 & 35, from wh.
a Poplar 28 in. dia. bears S 25 E. 30 lb. dist. X
a Beech 20 " " " S 17 E. 39 " "
Good Beech land.

East On N. side of Sec. 35.

31. 30 a Oak 40 in. diam.

40.01 Set gr. Sec. post, from which
a Gum 16 in. dia. bears N 62 E. 10 lb. dist. X
a Beech 7 " " " S 82 W. 15 " "

72. 50 a Brook 3 lb. wide course S. E.

80.00 Set post Cor. to Sec. 35 & 36, from which
a Beech 7 in. dia. bears N 16 E. 10 lb. dist. X
a Do. 7 " " " S 6 E. 20 " "

Good Beech land.

396

T. 15. N. R. 13 E. 2nd Mer. Indiana.

East On S. side of sec. 36.

5.50 a Brook 4 lb. wide Course S.
Land, level. Timber. Beech Gum
Poplar Oak &c.

40.00 Set gr. 1 in. post, from which
a Beech 18 in. dia. bears N 78 E. 14 lb. dist. &
a Do 6 " " " S 60 W. 12 " "

65.00 a Brook 3 lb. wide Course S.E.

80.00 Set post Cor. to Towns 14 & 15 North,
Ranges 13 & 14 East, from which
a Beech 18 in. dia. bears N 29 E. 7 lb. dist.
& a Do. 18 " " " N 60 W. 9 lb. dist.
Good Beech land.

Surveyed in 1810.

By Alexander Holmes
Deputy Surveyor.

East Boundary.

Oct. 24th 1810.

North On E. side of sec. 36.

.50 a Brook 3 lb. wide Course E.

12.00 a Do. 8 " " " E.

25.00 a Do. 3 " " " E.

poorly good Beech land with some sugar

40.00 Set gr. sec. post, from which
a Beech 15 in. dia. bears N 40 W. 9 lb. dist. and
a Do. 15 " " " N 52 E. 26 " "

45.00 a Brook 3 lb. wide Course E.

52.70 a Poplar 30 in. dia.

72.00 a Brook 5 lb. wide Course S.E.

80.00 Set post Cor. to Sec. 25 & 36, from which
a Beech 18 in. dia. bears N 79 E. 14 lb. dist. and
a Do. 4 " " " N 50 W. 14 " "
Good Beech land.

North On E. side of sec. 25.

S. 15 N. R. 13 E. 2nd Mer. Indiana.

- 2.00 a Brook 3¹/₂ l^{ks}. wide course E.
 34.00 a Do. 3 " " " E.
 40.00 Set gr. sec. post, from which
 a Beech 20 in. dia. bears N 19 W. 8 l^{ks}. dist. X
 a Do. 30 " " " 42 W. 16 " "
 58.20 a Poplar 50 in. diam.
 80.00 Set post cor. to Sec. 24 & 25, from which
 a Beech 12 in. diam. bears N 76. 12 l^{ks}. dist. X
 a Sugar 10 " " " 46 W. 19 " "
 Good Beech land.

North On E. side of Sec. 24.

- 15.00 a Brook 3 l^{ks}. wide course W.
 37.00 a Do. 3 " " " W.
 Good Beech land.
 40.00 Set gr. sec. post, from which
 a Beech 8 in. dia. bears S 25 E. 14 l^{ks}. dist. X
 an Ash 12 " " " N 25 E. 26 " "
 59.50 a Poplar 50 in. diam.
 78.00 a Brook 6 l^{ks}. wide course E.
 80.00 Set post cor. to Sec. 13 & 24, from which
 a Beech 6 in. dia. bears N 79 E. 11 l^{ks}. dist. X
 a Do. 16 " " " N 65 W. 15 " "
 Oct. 25th 1810.
 Land, level & rich. Timber Beech
 Sugar & Ash.

North On E. side of Sec. 13.

- 9.00 a Brook 3 l^{ks}. wide course W.
 14.00 a Do. 3 " " " W.
 24.00 a Do. 5 " " " W.
 Land, good. Timber Beech, Sugar
 Ash & c.
 40.00 Set gr. sec. post, from which
 a Beech 24 in. dia. bears S 40 W. 24 l^{ks}. dist. X
 a Do. 24 " " " N 40 E. 22 " "

T. 15 N. R. 13 E. 2nd Mer. Indiana.

- 55.31 a Sugar 18 in. diam.
 60.00 a Brook 3 lb. wide course W.
 71.00 a Do. 6 " " " W.
 73.00 a Do. 4 " " " W.
 80.00 set post cor. to sec. 12 & 13, from which
 a Beech 10 in. diam. bears S 54 W. 32 lb. dist. &
 a Sugar 20 " " " N 66 E. 22 " "
 Land, Rich Limb. Beech, Sugar
 & Maple &c.

North On E. side of sec. 12.

- 21.50 a Brook 3 lb. wide course W.
 25.00 a Do. 3 " " " W. (cut
 40.00 set q. sec post, from which
 a Beech 12 in. diam. bears N 8 E. 16 lb. dist. &
 a Do. 8 " " " S 36 E. 24 " "
 44.00 a Brook 4 lb. wide course W.
 65.24 a Beech 30 in. diam.
 74.00 a Brook 8 lb. wide course W.
 80.00 set post cor. to sec. 12 & 13, from which
 a Beech 30 in. diam. bears N 60 W. 9 lb. dist. &
 a Do. 5 " " " N 28 W. 15 " "
 Land, Rich. Limb. Beech Sugar
 and Ash &c.

North On E. side of sec. 1.

- 9.00 a Brook 3 lb. wide course W.
 25.00 an Ash 14 in. diam.
 37.00 a Road
 Good Beech land.
 40.00 set q. sec. post from which
 a Beech 16 in. diam. bears S 7 W. 9 lb. dist. &
 a Do. 18 " " " N 13 E. 28 " "
 52.00 a Brook 8 lb. wide W.
 80.00 set post cor. to Towns 15 & 16 North in
 Ranges 13 & 14 East, from which

T. 15 N. R. 13 E. 2nd Mer. Indiana.

Ch. No.

a Beech 10 in. dia. bears South 27th dist. 7
a Do. 10 " " " N 18th W. 21 " "

Good Beech land.

Surveyed in 1870.

By Alexander Holmes
Deputy Surveyor.

North Boundary

Random Line

East On S. side of sec. 31. T. 16 N. R. 13 E.

40.00 set tempy. q. sec. post.

80.00 set tempy. - - sec. post cor. to sec. 31 & 32.

Land, rich and level. Timber Sugar
Ash Walnut and Elm.

East On S. side of sec. 32. T. 16 N. R. 13 E.

40.00 set tempy. q. sec. post.

75.00 a creek 100 ft. wide course S. W.

80.00 set tempy. post cor. to sec. 32 & 33.

Level rich beech land.

East On S. side of sec. 33. T. 16 N. R. 13 E.

40.00 set tempy. q. sec. post.

68.50 a brook 3 ft. wide course S.

80.00 set tempy. post cor. to sec. 33 & 34.

Land &c. as above.

East On S. side of sec. 34. T. 16 N. R. 13 E.

15.00 a Brook 3 ft. wide course S.

38.00 a Do. 4 " " " S.

40.00 set tempy. q. sec. post.

62.00 a Brook 4 ft. wide course S. E.

76.50 a Do. 3 " " " S.

80.00 set tempy. post cor. to sec. 34 & 35.

Land hilly. Timber Beech Gum
Ash &c. &c.

400

T. 15 N. No. 13 E. 2 & 3 Mer. Indiana.

East On S. side of sec. 35. T. 16 N. No. 13 E.
 15.00 a Brook 3 lb. wide course S.
 40.00 set temp. q. sec. post.
 Land and Timber as last line.
 55.50 a Brook 8 lb. wide course S.
 65.00 a creek 60 " " " S.
 80.00 set post temp. cor. to sec. 35 & 36.
 Rich Bottom land. Timber Oak,
 Walnut and Buckeye.

East On S. side of sec. 36. T. 16 N. No. 13 E.
 10.00 a Brook 6 lb. wide course N.
 40.00 set temp. q. sec. post. (Land &c. same)
 40.00 a Brook 3 lb. wide N. W.
 82.00 Intersect No. line 20 lb. South of the
 Town corner.
 Good Beech land.

West On S. side of sec. 36. T. 16 N. No. 13 E. Correct Line
 40.00 set q. sec. post. from which
 a Beech 5 in. dia. bears S 84° W. 11 lb. dist. and
 a Do. 8 " " " N 79° E. 40 " "
 80.00 set post cor. to sec. 35 & 36, from which
 a Buckeye 10 in. dia. bears S 78° E. 21 lb. dist. &
 an Elm 7 in. dia. bears S 83° W. 25 " "

West On S. side of sec. 35. T. 16 N. No. 13 E.
 40.00 set q. sec. post. from which
 a Hickory 12 in. dia. bears N 26° E. 3 lb. dist. &
 a Beech 6 in. dia. " S 65° W. 12 " "
 80.00 set post cor. to sec. 34 & 35, from which
 a Sugar 18 in. dia. bears S 25° W. 15 lb. dist. and
 a Gum 14 " " " N 56° E. 37 " "

West On S. side of sec. 34. T. 16 N. No. 13 E.
 40.00 set q. sec. post. from which

T. 15 N. R. 13 E. 2nd Mer. Indiana.

40.00 a Beech 8 in. diam. bears N 56 E. 15 lks. dist. X
 a Do. 16 " " " S 39 W. 32 " "
 80.00 Set post Cor. to Sec. 33 & 34, from which
 a Beech 30 in. dia. bears S 59 E. 20 lks. dist. X
 a Beech 16 " " " N 32 W. 23 " "

West On S. Side of Sec. 33. T. 16 N. R. 13 E.
 40.00 Set gr. sec. post, from which
 a Poplar 60 in. dia. bears N 75 W. 6 lks. dist. X
 a Beech 12 " " " N 35 E. 7 " "
 80.00 Set post Cor. to Sec. 32 & 33. from which
 a Sugar 16 in. dia. bears N 78 E. 24 lks. dist. X
 a Blackberry 18 in. dia. bears S 79 W. 40 lks. dist.

West On S. Side of Sec. 32. T. 16 N. R. 13 E.
 Nov. 22nd 1810.
 40.00 Set gr. sec. post, from which
 a Sugar 7 in. dia. bears N 40 W. 21 lks. dist. X
 a Blackberry 6 in. dia. " N 80 E. 38 " "
 80.00 Set post Cor. to Sec. 31 & 32, from wh.
 a Sugar 13 in. dia. bears N 15 E. 26 lks. dist. X
 a Beech 30 " " " S 17 W. 32 " "

West On S. Side of Sec. 31. T. 16 N. R. 13 E.
 40.00 Set gr. sec. post, from which
 a Sugar 12 in. dia. bears S 2 W. 6 lks. dist. X
 a Hickory 12 " " " N 32 W. 18 " "
 82.00 To Town Corner.
 Surveyed in 1810.

By Alexander Holmes
 Deputy Surveyor.

West Boundary.

Nov. 20th 1810.

North On E. side of Sec. 36. T. 15 N. R. 12 E.
 30.75 a Sugar 18 in. diam.

402

T. 15 N. R. 13 E. 2nd Mer. Indiana.

- 40.00 set gr. sec. post. from which
a Wh. Oak 6 in. dia. bears N 2 W. 10 lb. dist. &
an Ironwood 5 in. dia. " S 32 W. 25 " "
- 70.50 a Sugar 8 in. diam.
- 80.00 set post cor. to Sec. 25 & 36, from which
a Sugar 13 in. dia. bears S 34 W. 8 lb. dist. &
a Wh. Oak 8 " " " N 36 E. 20 " "
Land, level and rich Timber Sugar
Oak and Elm.

- North On E. side of sec. 25. T. 15 N. R. 13 E.
- 33.00 a Wh. Oak 50 in. diam.
- 37.00 a Creek 60 lb. wide Course S. E.
- 40.00 set gr. sec. post. from which
a Blue ash 6 in. dia. bears N E. 8 lb. dist. &
a Wh. Oak 40 in. dia. " N 18 W. 34 " "
- 68.00 a Creek Course S. W.
- 80.00 a Buckeye 8 in. diam. for post cor.
to Sec. 24 & 25, from which
a Buckeye 7 in. diam. bears S 23 W. 11 lb. dist. &
an Elm 30 in. dia. bears N 36 W. 14 " "
level rich land. Timber Sugar Elm &
Ash &c.

- North On E. side of sec. 24. T. 15 N. R. 13 E.
- 13.00 a Creek 6 lb. wide Course E.
- 30.50 an Elm 24 in. diam.
- 40.00 set gr. sec. post. from which
a Buckeye 16 in. diam. bears S 55 W. 27 lb. dist. &
a Beech 8 " " " N 88 E. 38 " "
thirst rate bottom land. Timber Sugar
Oak, Buckeye, Elm, &c.
- 61.50 a Walnut 40 in. diam.
- 80.00 set post cor. to Sec. 13 & 24, from which
an Elm 24 in. dia. bears S 60 E. 6 lb. dist. and
a Thorn 6 " " " N 50 W. 13 " "

T. 15 N. R. 13 E. 2nd Mer. Indiana.

Ch. H. Land and Timber as before.

North On E. side of Sec. 13. T. 15. N. 16. 12 E.

29.65 a Walnut 50 in. diam.

Rich bottom land. Timb: Sugar, Ash, Walnut.

40.00 Set q. sec. post. from which

a Buckeye 12 in. diam. bears N 27 E. 13 lb. dist.

a Sugar 16 " " " N 20 E. 25 " "

60.50 a Buckeye 24 in. diam.

71.00 a creek 60 lb. wide course S. E.

80.00 Set post cor. to Sec. 12 & 13, from which

a Buckeye 8 in. dia. bears N 68 W. 5 lb. dist. X

a Buckeye 4 " " " N 85 E. 10 " "

Land and Timb: as above.

North On E. side of Sec. 12. T. 15. N. 16. 12 E.

29.50 a Hackberry 24 in. diam.

40.00 Set q. sec. post. from which

a Blue Ash 18 in. dia. bears S 44 E. 21 lb. dist. X

a Buckeye 8 " " " N 62 W. 13 " "

Rich bottom land. Timb: Sugar, Ash
Elm. &c.

47.00 a creek 150 lb. wide course S. E.

80.00 Set post cor. to Sec. 1 & 12, from which

a Gum 14 in. diam. bears S 72 W. 29 lb. dist. X

an Ironwood 5 in. " " S 9 E. 19 " "

Land & Timber as above.

North On E. side of Sec. 1. T. 15. N. 16. 12 E.

17.60 a Sugar 18 in. diam.

40.00 Set q. sec. post. from which

a Sugar 18 in. diam. bears W 61 E. 3 lb. dist. X

a Wh. Oak 16 in. " " N 48 E. 40 " "

Rich level land. Timb: Sugar Ash &
Walnut.

63.50 an Elm 24 in. diam.

404

S. 15 N. R. 13 E. 2nd Mer. Indiana.

80.00 Set post cor. to Towns 15 & 16 North in
Ranges 12 & 13 East, from which
a Wh. Oak 30 in. dia. bears N 79 W. 12 W.
& a Wh. Oak 18 in. dia. " N 78 E. 22 "
Land and Timb. as before.

Surveyed by (Nov. 1810.)
Alexander Holmes
Deputy Surveyor.

Subdivision.

Beginning at the South East Corner of
Town 15 North Range 13 E, Thence
On the Township Line, Thence West
40.00 To D. Sec. post.
80.00 section post cor. of sec. 35 & 36.

North Between Sections 35 & 36.

28.03 a Hickory 20 in. diam.

40.00 Set gr. sec. post. from which
a Beech 10 in. dia. bears S 49 E. 18 W. dist. &
an Ash 10 " " " N 40 W. 21 " "

54.00 a Wh Oak 12 in. diam.

80.00 Set post cor. to Sec. 25, 26, 35 & 36, wh.
a Beech 12 in. dia. bears N 35 E. 19 W. dist. &
a Beech " " " S 31 E. 16 " "
Timb. Oak Beech, Poplar Hickory &c.
Level good farming land.

East On Range line bet^{wn} Sec. 25 & 36.

40.00 Set temp. gr. sec. post.

60.00 a Spring Branch Course S. E.

179.80 Intersect Range line at post.
Some uneven good farming land.

West Correct line between Sec. 25 & 36.

39.90 Set gr. sec. post. from which

T. 15 N. R. 13 E. 2nd Mer. Indiana.

a Maple 24 in. dia. bears S 47 E. 33 lks. dist. X
 a Beech 15 " " " N 22 W. 35 " "
 79.80 Section Corner.

North Between Secs 25 & 26.

14.60 a Sugar 14 in. diam.
 40.00 Set q. sec. post from which
 a Beech 10 in. dia. bears N 42 E 4 lks. dist. X
 a Sugar 6 " " " S 42 W. 31 " "
 48.55 a Spring Branch course N. W.
 54.60 a Do. Do. " N. W.
 63.17 a Beech 18 in. diam.
 80.00 Set post cor. of Secs 23, 24, 25 & 26, fr. wh.
 an Elm 24 in. diam. bears N 35 W. 7 lks. dist.
 X a Beech 14 " " " S 47 W. 4 " "
 Limb. Beech, Oak, Elm, Poplar, Ash
 and Sugar.
 Level good farming land.

East Cor. Random betw Secs 24 & 25.

40.00 Set temp. q. sec. post.
 79.67 Intersect Range line 22 lks. N. of post
 Limb. Beech, Ash, Poplar, Sugar &c.
 Land, level, soil good.

West correct line between Secs 24 & 25.

39.83 Set q. sec. post from which
 a Beech 12 in. dia. bears S 45 W. 15 lks. dist. X
 a Sugar 9 " " " N 10 W. 29 " "
 79.67 Section Corner.

North Between Secs 23 & 24.

23.50 a Spring Branch course N. W.
 31.00 a White Oak 20 in. diam.
 40.00 Set q. sec. post from which
 a Beech 12 in. dia. bears N 9 W. 17 lks. dist. X

T. 15 N. R. 13 E. 2nd Mer. Indiana.

46.25 a Beech 8 in. diam. bears 141 W. 9 lks. dist.
 53.75 a Sugar 13 in. diam.
 73.50 a Spring Branch Course W.
 80.00 Set post Cor. to Sec. 13, 14, 23 & 24, fr. wh.
 a Beech 6 in. dia. bears 130 E. 11 lks. dist. &
 a Do. 18 " " " 15 W. 13 " "
 Timber: Beech, Ash, Oak, Sugar &c
 Never good farming land.

East on Road ⁱⁿ betwⁿ Sec. 13 & 24.
 40.00 Set q. sec. temp^y post.
 79.40 Intersect Range line 25 lks. N. of post
 Timber, Beech, Ash, Sugar, Poplar &c.

West Correct line betwⁿ Sec. 13 & 24.
 39.70 Set q. sec. post, from which
 a Beech 14 in. dia. bears 172 W. 6 lks. dist. &
 a Do. 10 " " " 150 E. 12 " "
 79.40 Section Corner.
 March 10th 1811.

North Between Sections 13 & 14.
 44.40 a Beech 7 in. dia. bears
 26.25 a Spring Branch Course W.
 40.00 Set q. sec. post, from which
 a Sugar 5 in. dia. bears 183 W. 6 lks. dist. &
 a Do. 6 " " " 155 E. 7 " "
 40.25 a Spring Branch 150 W.
 65.20 a Sugar 9 in. diam.
 80.00 Set post line to Sec. 11, 12, 13 & 14, from wh.
 a Beech 7 in. dia. bears West, 5 lks. dist. &
 a Do. 4 " " " 130 E. 3 " "
 Timber: Beech, Ash, Oak, Sugar &c.
 Level good farming land.

467

T. 15 N. R. 13 E. 2nd Mer. Indiana.East On Random betw^{en} Sec. 12 & 13.

40.00 Set tempy. gr. sec. post.

79.33 Interset Range line 77th N. of post.
Timb. Beech, Ash Poplar Sugar &c.
Land level soil rich and deep.

West Correct line between sec. 12 & 13.

39.66 Set gr. sec. post, from which
a Beech 3 in. dia. bears N 46 E, 12th dist. X
a Beech 3 " " " S 48 E, 20 " "

79.33 Section Corner.

North Between sections 11 & 12.

16.80 a Spring Branch Course W.

27.16 a Sugar 16 in. dia.

40.00 Set gr. sec. post, from which
an Elm 5 in. dia. bears S 20 E, 26th dist. X
a Beech 18 " " " N 60 W, 16 " "

64.10 a Spring Branch Course W.

66.53 a Sugar 28 in. diam.

80.00 Set post Cor. to Sec. 1, 2, 11 & 12, fr. which
an Ash 20 in. dia. bears N 8 E, 12th dist. X
a Beech 8 " " " N 34 W, 16 " "
Timb. Beech, Ash Elm Sugar, Oak
&c. level good farming land.East On Random betw^{en} Sec. 1 & 12.

40.00 Set tempy. gr. sec. post.

79.33 Interset Range line 73th N. of post.
Timber, Beech, Ash, Poplar &c.
Some uneven good farming land.

West Correct line between sec. 1 & 12.

39.66 Set gr. sec. post, from which
a Sugar 16 in. dia. bears N 63 E, 17th dist. X
a Do. 36 " " " S 39 W, 36 " "

T. 15 N. R. 13 E. 2nd Mer. Indiana.

408

79.33 Section Corner.

North Between Secs. 1 & 2, on Random line

40.00 Set temporary q. sec. post.

79.01 Intersect E. & W. line 36 Ch. E. of post.
 Timber, Beech, Ash, Elm, Sugar Oak &c.
 Land, level soil good.

South Corrected the line between Secs. 1 & 2.

39.00 Set q. sec. post, from which
 a Sugar 6 in. dia. bears N 67 W. 11 1/2 Ch. dist.
 & a Sugar 4 " " " S 30 E. 14 Ch. dist.

79.00 Section Corner.

March 11th 1844.

North Between Secs. 34 & 35.

13.60 an Oak 16 in. diam.

29.75 a Spring Branch course W.

28.30 a Do. Do. " S. W.

40.00 Set q. sec. post, from which
 a Beech 16 in. dia. bears N 87 W. 5 Ch. dist. &
 a Sugar 8 " " " N 36 E. 12 " "

60.06 a Beech 12 in. diam.

80.00 Set post cor. to Secs 26, 27, 34 & 35, from wh.
 a Sugar 14 in. dia. bears N 45 W. 22 Ch. dist.
 & a Do. 8 " " " S 25 E. 11 " "
 Timber, Beech, Oak, Poplar Sugar
 Some uneven good farming land.

East Between Secs. 26 & 35. On Random.

6.20 a Spring Branch N. W.

37.60 a Do. Do. N. W.

40.00 Set temp. q. sec. post.

79.30 Intersect N & S. line 8 Ch. S. of post.
 Timber, Beech, Ash Oak Sugar &c.
 Good farming land.

T. 15 N. R. 16 E. 2nd Mer. Indiana.

West On correct between Secs. 26 & 35.

39.65 Set gr. sec. post. from which
a Beech 10 in. diam. bears N 60 E. 7 lbs. dist.
a Do. 10 " " " N 85 W. 7 " "
79.30 Sec. corner.

North Between Secs. 26 & 27.

5.00 a Spring Branch Course S. W.
17.60 a Sugar 10 in. diam.
40.00 Set gr. sec. post. from which
a Beech 4 in. diam. bears N 24 W. 11 lbs. dist.
a Do. 8 " " " S 56 W. 18 " "
62.25 a Spring Branch 10 lbs. wide c. S. W.
71.00 a Beech 13 in. diam.
78.50 a stream 15 lbs. wide Course S. W.
80.00 Set post cor. of Secs. 22, 23, 26 & 27,
an Oak 13 in. diam. bears N 38 W. 13 lbs. dist.
an Ash 9 " " " S 36 E. 27 " "
Limbs: Beech, Oak, Ash, Poplar
Sugar &c. Some uneven good
farming land.

East Between Sections 23 & 26. On Random.

.60 a stream 15 lbs. wide Course S.
40.00 Set temp. gr. sec. post.
79.17 Intersect. N & E. line at post.
Limbs: Beech, Oak, Ash, Poplar
Sugar &c. level good farming
land.

West Correct line between Secs. 23 & 26.

39.58 Set gr. sec. post. from which
a Beech 14 in. diam. bears N 33 E. 20 lbs. dist.
a Do. 16 " " " S 47 W. 10 " "
79.17 Section corner.
March 12th 1811.

400

T. 15 N. R. 13 E. 2nd Mer. Indiana.

North Between Sec. 22 & 23.

18.40 a Sugar 16 in. dia.

40.00 Set q. sec. post. from which
a Sugar 8 in. dia. bears S 42 E. 11 lks. dist.
a Beech 8 " " " N 30 W. 16 " "

57.30 a Do. 13 " "

70.15 Pine of Vincennes Road.

80.00 Set post cor. to Sec. 14, 15, 22 & 23, —
a Beech 10 in. diam. bears N 65 W. 17 lks. dist.
a Do. 5 " " " S 17 W. 12 " "
Timber Beech Sugar Poplar and
Hickory &c. Some uneven
good farming land.

East On Meander between Sec. 14 & 23.

19.00 a Spring Branch Course S. E.

27.75 a Stream 10 lks. wide Course S. E.

40.00 Set temp. q. sec. post.

41.20 a Spring Branch Course S. W.

52.75 a Do. Do. " N. W.

79.18 Intersect N & S line 9 lks. S. of post.
Temp. Poplar Beech Ash Sugar &c.
Land, level good farming land.

West Correct line between Sec. 14 & 23.

39.59 Set q. sec. post. from which
a Stream 14 in. dia. bears N 88 W. 4 lks. dist.
a Do. 24 " " " N 71 E. 22 " "

79.18 Section corner.

North Between Sec. 14 & 15.

13.79 a Spring Branch Course E.

18.75 a Beech 20 in. diam.

40.00 Set q. sec. post. from which
an Ironwood 4 in. dia. bears S 66 W. 12 lks. dist.
a Beech 3 in. dia. bears N 19 E. 14 " "

T. 15 N. R. 13 E. 2nd Mer. Ind^a

59.17 a Sugar 11 in. diam.

80.00 Set post cor. to Sec. 10, 11, 14 & 15, from which
an Iron wood 10 in. dia. bears N 82 W. 12 lbs.
a Beech 10 in. dia. bears N 6 W. 9 lbs. dist.
Timb. Beech, Ash, Hickory Elm
and Sugar.

Some uneven good farming land.

East On Random between Sec. 11 & 14.

40.00 Set temp. 7. gr. sec. post.

79.54 Intersect N & E line 8 lbs. South of
post. Timber Ash, Oak, Beech
and Sugar. Land level soil good.

West On Random between Sec. 11 & 14.

39.77 Set gr. sec. post. from which
a Beech 4 in. dia. bears N 33 E. 13 lbs. dist.
a Hawthorn 6 in. " " S 20 W. 7 " "

79.54 Section Corner.

North Between Sec. 10 & 11.

14.75 a Sugar 16 in. diam.

40.00 Set gr. sec. post. from which
a Beech 11 in. dia. bears S 59 W. 32 lbs. dist.
& a Do. 14 " " " N 20 E. 35 " "

67.35 a Sugar 15 " "

80.00 Set post cor. to Sec. 10 & 11, 2 & 3, from which
a Beech 28 in. dia. bears N 20 E. 5 lbs. dist.
a Sugar 28 " " " S 54 E. 30 " "
Timb. Beech Ash, Oak, Hickory
Elm Sugar &c.

Land level good farming land.

East On Random between Sec. 2 & 11.

40.00 Set temp. 9. gr. sec. post.

79.65 Intersect N & E line 9 lbs. N. of post.

412

T. 15 N. R. 13 E. 2nd Mer Indiana.

Ch. M. March 13th 1811.

West Correct line between sec. 2 & 11.
39.82 Set gr. sec. post. from which
a Beech 10 in. dia. bears N 59 E. 26 lks. dist.
a Poplar 27 " " " N 40 W. 17 " "
79.65 Section Cor. March 13th 1811.

North Between sec. 2 & 3 on Random line
20.75 a stream 75 lks. wide course S. by W.
40.00 Set temp. gr. sec. post.
78.66 Intersect E. & W. line 28 lks. E. of post.
Simb. Beech, Ash Oak Sugar &c.
Some uneven good farming land.

South Correct line between Sec. 2 & 3.
38.66 Set gr. sec. post. from which
a Beech 8 in. dia. bears S 55 W. 12 lks. dist.
a Beech 9 " " " N 60 E. 24 " "
78.66 Section Corner.

North Between sec. 33 & 34.
16.40 a Beech 18 in. diam.
40.00 Set gr. sec. post. from which
a Sugar 14 in. dia. bears S 26 W. 22 lks. dist.
a Beech 8 " " " N 46 E. 12 " "
57.18 a Sugar 16 in. diam.
70.25 a stream 8 lks. wide course S. W.
80.00 Set post Cor. to Sec. 27, 28, 33 & 34.
a Hickory 10 in. dia. bears N 31 W. 4 lks. dist.
an Elm 6 " " " S 41 E. 30 " "
Simb. Beech Ash Oak Sugar.
Level good farming land.

East On Rand^m between Sec. 27 & 34.
40.00 Set temp. gr. sec. post.

T. 15 N. R. 13 E. 2nd Mer. Ind^a

79.52 Intersect N & S. line at post.
Timber, Beech, Ash, Poplar Sugar &c.
Land level soil good.

West Correct line between Secs 27 & 34.

39.76 Set q. sec. post. from which
a Beech 11 in. dia. bears N 6 E. 11 lb.
a Beech 5 " " " N 6 W. 4 " dist.

79.52 Section corner.

North Between Secs 27 & 28.

18.40 a Beech 11 in. diam.

30.00 a Spring Branch S.W.

40.00 Set q. sec. post. from which
a Sugar 11 in. dia. bears N 4 W. 9 lb. dist.
a Beech 26 " " " S 37 E. 11 " "

50.50 a thorn 15 lb. wide & course S.W.

67.40 a Beech 17 in. diam.

80.00 Set post cor. to Secs 21, 22, 27 & 28.

a Beech 4 in. dia. bears N 40 E. 3 lb. dist.

a Dr. 20 " " " N 61 W. 14 " "

Timb. Beech, Ash Poplar Sugar
&c. level good farming land.
March 14th 1811.

East On Main between Secs 22 & 27.

21.50 a Spring Branch S.W.

40.00 set temp. q. sec. post.

79.02 Intersect N & S. line 15 lbs. North
of post. Timb. Beech, Ash, &
Poplar Sugar &c.
level good farming land.

West Correct line between Secs 22 & 27.

39.81 Set q. sec. post. from which
a Beech 16 in. dia. bears S 8 W. 12 lb. dist.

444

T. 15 N. R. 13 E. 2nd Mer. Indiana.

Ch. 1/2th an Ash 12 in. dia. bears N 15 E. 20 lb. dist.
79.62 Section Corner.

North Between sections 21 & 22.

23.16 a Beech 16 in. diam.

40.00 Set gr. sec. post. from which
a Beech 3 in. dia. bears N 55 W. 8 lb. dist.
a Sugar 30 " " " N 65 E. 9 " "

60.10 a Sugar 10 in. dia.

70.96 Line of Vincennes Road.

80.00 Set post Cor. of sec. 15, 16, 21 & 22.
a Beech 12 in. diam. bears N 19 E. 17 lb. dist.
a Beech 20 " " " S 61 W. 24 " "
Timb. Poplar, Ash, Beech Sugar
&c. Some uneven good farming
land.

East On Random between Sec. 15 & 22.

40.00 Set Temp. gr. sec. post.

79.38 Intersect N & S line 11 lb. N. of post.
Timb. Beech, Ash Poplar Sugar &c.
Some uneven soil good.

West Corner line between Sec. 15 & 22.

39.69 Set gr. sec. post. from which
a Beech 4 in. diam. bears S 34 W. 4 lb. dist.
a Do. 24 " " " N 10 W. 20 " "

79.38 Section Corner.

North Between Sec. 15 & 16.

10.75 a Beech 20 in. diam.

40.00 Set gr. sec. post. from which
an Ironwood 5 in. dia. bears N 54 E. 4 lb. dist.
a Beech 12 in. diam. " S 70 W. 24 " "

50.50 a Stream 60 lb. wide Course S 50 W.

71.10 a Buckeye 12 in. diam.

S. 15 N. R. 13 E. 2nd Mer. Ind. a

80.00 set post Cor. to Secs. 9, 10, 15 & 16, from wh.
a black berry 12 in. diam. bears N 71 W. 2 lks. dist. &
a Ditto 10 " " " N 69 E 29 " "
Timb. Beech, Ash, Elm, Sugar &c.
Level good farming land.

East On Random between Secs. 10 & 15.
20.81 a stream 50 lks. wide Course S.
40.00 set temp. q. sec. post.
79.71 Intersect N & S. line at post.
Timb. Ash, Elm, Beech, Oak & Sugar.
Level, soil rich & deep.

West Correct line between Secs. 10 & 15.
39.85 set q. sec. post. from which
a Buckeye 15 in. diam. bears N 83 W. 31 lks. dist.
a Do. 8 " " " S 73 E. 16 " "
79.71 Section Corner.

North Between Secs. 9 & 10.

21.12 a Buckeye 10 in. diam.
40.00 set q. sec. post. from which
an Oak 5 in. dia. bears S 19 W. 15 lks. dist. and
an Oak 6 " " " S 68 E. 12 " "
58.18 an Do. 12 " "
80.00 set post Cor. to Secs. 3, 4, 9 & 10, from wh.
a Beech 18 in. diam. bears N 65 E. 12 lks. dist.
a Mulberry 8 in. " " N 83 W. 32 " "
Timber, Sugar, Ash, Hickory &c.
Some uneven Good farming land
March 15th 1811.

East Between Secs. 3 & 10. On Random.
24.30 a stream 60 lks. wide Course South.
40.00 set temp. q. sec. post.
79.69 Intersect N & S. line 9 lks. N of post.

T. 15 N. R. 13 E. 2nd Mer. Indiana.

416

Level Good farming land
Timber Beech, ash Elm Sugar &

West Correct line bet. Secs. 3 & 10.
39.84 Set gr. Sec. post from which
a Sugar 4 in. dia bears N 66 E, 8 ths
a Do 6 " " " N 75 W, 21 "
79.69 Section corner

North Between Secs. 3 & 11. on Random
40.00 Set Temp. gr. Sec. post
49.40 a Spring branch crs. S.W.
78.40 Intersected E & W. line 27 ths. west
of section - post cor. of 3 & 4.
Timber Hickory, Oak, Ash, Sugar
Beech Land, very uneven soil Good

South Correct line bet. Secs. 3 & 4.
38.40 Set gr. Sec. post from which
a Beech 3 in dia bears S 71 E, 8 Ms
a Do 12 " " " S 89 W, 21 "
78.40 Sec. cor.

North Between Secs. 32 & 33.
21.75 a Spring branch crs. west
31.18 An Elm 18 in. dia.
40.00 Set gr. Sec. post, from which
a Beech 16 in dia bears N 64 E, 14 ths
a Do 24 " " " S 24 W, 11 "
61.17 a Sugar 12 in. dia.
80.00 Set post cor. of Secs. 28, 29, 32 & 33.
a Sugar 12 in. dia bears S 76 W, 9 ths
a Do 7 " " " N 30 E, 13 "
Timber Beech, ash, Elm Sugar
Undygd. Spice Level Rich Soil

East On Random bet. 28 & 33.

T. 15 N. R. 13 E. 2nd Mer. Indiana.

4000 Set Temp. gr. Sec. post.
 63.50 a Stream 16 lbs wide crs N.W.
 79.48 Intersected N & S line 11 lbs. South
 of Sec.
 Timber Beech ash Elm & Sugar
 Soil good farming Land

West Correct line bet. Secs. 28 & 29.
 39.74 Set gr. Sec. post, from which
 a Sugar 6 in. dia bears N 56 E, 23 lbs
 a Beech 10 " " " N 44 W 24 "
 79.48 Section Corner. March 16th 1811.

North Between Secs. 28 & 29.
 13.70 a Sugar 14 in. dia.
 29.50 a Spring branch crs. West
 36.75 a Stream 18 lbs wide crs. West
 40.00 Set gr. Sec. post, from which
 a Cherry 24 in. dia bears N 40 W, 3 lbs
 a Buckeye 9 " " " S 35 E, 21 "
 57.00 an Oak 20 in. dia.
 80.00 Set post Cor. Secs. 20, 21, 28 & 29.
 an Ironwood 11 in dia bears N 3 E, 7 lbs
 a Water Beech 5 " " " S 14 W, 15 "
 Timber. Beech, ash, oak, Sugar &
 Soil Good farming Land

East Between Secs. 21 & 28 Random line
 4000 Set Temp. gr. Sec. post
 79.42 Intersected N & S line 12 lbs South
 of Sec. post corner of 21, 22, 27 & 28
 Timber Beech, ash, Elm Sugar &
 Soil Good farming Land

West Correct line bet. Secs. 21 & 28.
 39.71 Set gr. Sec. post, from which

418

T. 15 N. R. 13 E. 2nd Mo. Indiana

Ch. M. a Hackberry 12 in. dia bears N 7 E, 16 lbs
 a Water Beech 3 " " " N 68 W, 11 "
 79.42 Section Corner

North Between Secs. 20 & 21.

26.14 An Elm 14 in. dia.

40.00 Set gr. Sec. post, from which
 an Oak 15 in. dia bears N 41 W, 20 lbs.
 a Sugar 4 " " " S 49 E, 4 "

54.12 An Oak 20 in. dia.

72.25 a Stream 60 lbs. wide cr. S. W.

73.75 Line of Vincennes Road

80.00 Set post cor. Secs. 16, 17, 20 & 21.

a Beech 6 in. dia bears S 10 E, 2 lbs

a Honey Locust 15 " " " S 87 E, 6 "

Timber Beech, ash, Elm, Sugar,

Under Growth Spice & Black Birch,

Level Good farming Land

East An Random bet Secs. 16 & 21.

26.50 a Stream 50 lbs wide cr. S. W.

40.00 Set Temp. gr. Sec. post

79.71 Intersection of S line at post.

Timber Beech, ash, Oak, Sugar,

Elm, Level Good farming Land

West Correct line bet. Secs. 16 & 21.

39.86 Set gr. Sec. post, from which

a Sugar 12 in. dia bears S 13 E, 60 lbs.

an Oak 20 " " " S 76 W, 26 "

79.72 Section Corner

North Between Secs. 16 & 17.

28.40 a Sugar 12 in. dia.

40.00 Set gr. Sec. post, from which

a Sugar 8 in. dia. bears N 8 W, 18 lbs

T. 15 N. R. 13 E. 2nd Mer. Indiana,

Ch. Lk. An Oak 10 in. dia bears N 39 W 16 lbs
 53.90 a W. Oak 110 " " "
 80.00 Set post cor. Secs. 8 & 9. 16 § 14.
 a W. Oak 40 in. dia bears S 83 E, 6 lbs
 a Gum 6 " " " N 74, W 23 "
 Timber Beech, ash, Sugar, oak, &c
 Level Good farming Land

East An Random bet. Secs. 9 & 16.
 31.00 To a wet prairie
 40.00 Set Temp. gp. Sec. post.
 48.50 across the prairie
 79.54 Intersected cr § line 6 lbs south
 of the post
 Timber. Oak, oak, Beech, Sugar &c
 Level Good farming Land

West Correct line bet. Secs. 9 & 16.
 39.77 Set gp. Sec. post, from which
 a W. Oak 24 in. dia bears S 39 E, 6 lbs
 a W. Oak 18 " " " S 85 W, 10.32
 79.54 Section Corner. March 17. 1811.

North Between Secs. 8 & 9.
 30.95 an ash 20 in. dia.
 40.00 Set gp. Sec. post from which
 a Beech 30 in. dia. bears S 3 W, 20 lbs
 a Sugar 8 " " " N 82 W, 26 "
 61.50 a Sugar 12 in. dia.
 80.00 Set post cor. of Secs. 4, 5, 8 & 9.
 a Beech 10 in. dia bears N 81 W, 12 lbs
 a Sugar 8 " " " N 84 E, 25 "
 Timber Beech, ash, oak, Sugar, Elm,
 Level Good farming Land

East An Random Set Secs. 4 & 9.

420

T. 15 N. R. 13 E. 2nd Mer. Indiana.

110.00 Set Temp. gp. Sec. post.
 79.36 Intersected N & S line 7 lks. S. of post
 Timber Beech, ash, oak, Sugar,
 poplar, Some uneven Good farm-
 ing Land

West Correct line bet. Secs. 11 & 9.
 39.68 Set gp. Sec. post, from which
 a Sugar 11 in. dia. bears N 28 W, 12 lks
 a Beech 12 " " " S 14 W, 23 "
 79.36 Section corner,

North Between Secs. 4 & 5. on Random
 110.00 Set Temp. gp. Sec. post.
 77.95 Intersected E & W. line 40 lks. West
 of Sec. post cor. of 4 & 5.
 Timber Beech, oak, Sugar &
 Some uneven Good farming Land

South Correct line bet. Secs. 4 & 5.
 37.95 Set gp. Sec. post, from which
 a Beech 8 in. dia. bears S 22 W, 17 lks
 a Do 20 " " " N 49 E, 18 "
 77.95 Section corner.

North Between Secs. 31 & 32.
 3.00 a Stream 150 lks. wide ers. S.E.
 14.00 a Buckeye 12 in. dia.
 40.00 Set gp. Sec. post, from which
 an oak 10 in. dia bears S 15 E, 27 lks
 a Buckeye 10 " " " N 44 W, 25 "
 51.12 a Sugar 14 in. dia.
 80.00 Set post cor. to Secs. 29, 30, 31 & 32. fr. wh.
 a Beech 18 in. dia bears N 73 W, 21 lks
 a Cherry 3 " " " S 43 W, 10 "
 Timber Beech, ash, Elm, Sugar &

T. 15 N. R. 13 E. 2nd Mer. Indiana

Ch. W. Level good farming Land March, 1811

East On Random bet. Secs. 29 & 32.

40.00 Set Temp. gr. Sec. post

40.50 a Stream 75 lbs. wide S 20 W.

79.45 Intersected cr & S line at post.

Timber, Beech, Ash, Elm, & Sugar, &c.

Level good farming land

West Between Secs. 29 & 32, correct line

39.72 Set gr. Sec. post, from which

a Sycamore 6 in. dia bears cr 33 W, 25 lbs.

a Cottonwood 4 " " " S 49 W, 27 "

79.45 Section corner.

West Between Secs. 30 & 31. On Random

40.00 Set Temp. gr. Sec. post

43.00 a Stream 150 lbs. wide cr. S.W.

78.40 Intersected cr & S line 20 lbs cr. of post

Timber Beech, Ash, Elm Undgth. Rich,

ash Spruce, Level Rich Soil

East Between Secs 30 & 31 true line

38.40 Set gr. Sec. post, from which

a Buckeye 3 in. dia. bears cr 34 E, 11 lbs.

an Elm 11 " " " S 22 W, 35 "

78.40 Section corner.

North Between Secs. 29 & 30.

14.00 a Sugar tree 14 in. dia.

50.00 Set gr. Sec. post, from which

an American in. dia. bears S 18 E. 9- lbs. Set

a - Beech 9 " " " N 51 W. 30 " "

Timber Hickory Beech, Sugar, Elm, Undgth.

Spruce Level good farming Land

80.00 Set post Cr. to Sec 29. 30. 31 & 32. { Sugar 5. S 89 E. 24.
Elm 18. N 51 W. 29.

422

S. 15 N. N. 13 E. 2nd Mer. Indiana.

East An Random bet. 20 & 29.
40.00 Set Temp. gr. sec. post
50.10 a Stream 60 lbs wide ess. S.W.
79.75 Intersected cr & S line at post.
Timber Elm, Beech, Sugar, &c.
Level good farming Land.

West Correct line bet. Secs. 20 & 29
39.87 Set gr. sec. post, from which
an Oak 40 in. dia. bears S 28 W, 13 lbs
a Hawthorn 3 " " " cr 38 W, 16 "
79.75 Section Corner.

West Random bet. Secs. 19 & 30.
40.00 Set. Temp. gr. Sec. post.
46.76 a Stream 150 lbs wide ess. South.
60.10 a Large Bayou
69.00 a Stream 20 lbs. wide ess. E.
78.38 Intersected Range Line 78 lbs. N. of post
Timber Beech, ash, Elm, Sugar tree &c
Land level Soil Good

East Correct line bet 19 & 30.
38.38 Set gr. sec. post, from which
a Sugar tree 3 in. dia bears S 60 E, 2 lbs.
a Red Bud 5 " " " cr 41 W 16 "
78.38 Section Corner. March 19th

North Between Secs. 19 & 20.
19.27 a Hickory 10 in. dia.
40.00 Set gr. sec. post, from which
a Hackberry 9 in. dia bears N 58 W, 2 lbs
an Elm 12 " " " N 41 E, 13 "
57.28 An Elm 16 in. dia.
73.60 Line of Vincennes Road.
80.00 Set post cor. to Secs. 17, 18, 19 & 20

T. 15 N. R. 13 E. 2nd Mer. Indiana.

Ch^o. Pk. a Sugar 18 in. dia bears cr & W. 9 lbs
 an Elm 11 " " " S 19 W. 30 "
 Timber Beech, ash, Hickory, Oak, Sugar
 Level good farming Land

East An Random bet Secs. 17 & 20.
 20.00 To a prairie
 40.00 Set Temp. gr. Sec. post
 46.00 To the East Side of Drains
 79.55 Intersected cr & S line 10 lbs. N. of post.
 Timber Oak, ash, Elm, Sugar &c
 Level good farming land

West Correct line bet Secs. 17 & 20.
 39.77 Set Temp gr. Sec. post from which
 an Oak 8 in dia. bears cr 83 E, 66 S lbs
 an Do 18 " " " S 88 W, 66 S "
 79.55 Section corner.

West Between Secs. 18 & 19. On Random
 30.25 a Stream 2.00 lbs wide cr. South
 40.00 Set Temp. gr. Sec. post
 78.56 Intersected Range line 90 lbs cr. of post
 Timber Beech, ash, Oak & Sugar
 Level good farming Land

East An Correct line bet. Secs. 18 & 19.
 38.56 Set gr. Sec. post, from which
 a Hackberry 24 in. dia bears S 11 W, 11 lbs
 a Do 14 " " " cr 21 W, 14 "
 78.56 Section corner.

North Between Secs. 17 & 18.
 18.87 a Sugar 13 in. dia.
 40.00 Set gr. Sec. post, from which
 a Sugar 12 in. dia bears S 70 W, 26 lbs

424

T.B.N. R. 13 E. 2nd Mer. Indiana.

a Hickory 15 in. dia bears N 22 W, 31 ths.
 69.14 a Sugar tree 15 " "
 80.00 Set post Cor. of Secs. 7, 8, 17 & 18.
 an ash 14 in. dia bears S 11 E, 14 ths. Dist.
 a Sugar 9 " " " N 14 E, 13 " "
 Timber Beech, ash, Hickory, Sugar,
 Soil good, farming land

East On Random bet Secs. 8 & 17.
 110.00 Set Temp. gr. Sec. post
 60.00 To a Wet Prairie
 60.00 To the East Side of Prairie
 79.60 Intersected N & S line 15 ths. N. of post
 Timber Beech, ash, Oak, & Sugar.
 Soil good farming land

West Correct line bet. Secs. 8 & 17.
 39.30 Set Temp. gr. Sec. post
 a Sugar tree 12 in. dia bears N 17 W, 7
 a do do 6 " " " S 15 W, 21
 79.60 Section corner.

West On Random bet. Secs. 7 & 18.
 27.50 a Stream 50 ths wide cor S W.
 110.00 Set Temp. gr. Sec. post.
 68.70 a Stream 150 ths. wide S 25 E.
 78.50 Intersected N & S line 1.17 ths N. of post
 Timber Beech, ash, Elm, Oak, & Sugar.
 Land but Soil good

East Correct line bet. Secs. 7 & 18
 38.50 Set gr. Sec. post, from which
 a Sugar 7 in. dia bears N 1 E, 5 ths
 a Hickory 10 " " " S 57 E, 11 "

North Between Secs. 7 & 8.

T. 15 N. R. 13 E. 2nd Mer. Indiana.

- 18.00 a Beech 12 in. dia.
 40.00 Set gr. Sec. post, from which
 a Sugar 7 in. dia bears S 40 W, 23 lbs
 a Do " " " " N 45 E, 10 "
 47.13 a Sugar tree 10 in. dia.
 69.00 a Stream 60 lbs wide. cr. S 50 W.
 80.00 Set post Cor. Secs. 5, 6, 7 & 8 from which
 a Buckeye 8 in. dia. bears S 55 W, 8 lbs
 a Do 5 " " " S 59 E, 18 "
 Timber Beech, ash, Oak, Buckeye, Sugar,
 Land best Soil Good

March 20th 18.11

- East On Random bet. Secs. 5 & 8,
 11.40 a Stream 70 lbs wide cr. S. W.
 40.00 Set Temp gr. Sec. post
 79.75 Intersected N & S line 8 lbs N. of post
 Timber Beech, ash, Oak & Sugar,
 Soil good farming Land

- West Correct Line bet Secs. 5 & 8.
 39.87 Set gr. Sec. post, from which
 a Sugar 9 in. dia bears N 10 E, 14 lbs
 an Ironwood 5 " " " S 70 W, 18 "
 79.75 Section Corner.

- West On Random bet. Secs. 6 & 7
 40.00 Set Temp. gr. Sec. post
 78.61 Intersected Range line 12.9 lbs N. of post
 Timber Beech, Ash, Elm, & Sugar,
 Soil good farming Land

- East Between Secs. 6 & 7 Correct line
 38.61 Set gr. Sec. post, from which
 a Wh. Walnut 6 in. dia bears N 8 W, 13 lbs
 a Thorn 5 " " " S 64 W, 10 "

426

T. 15 N. R. 13 E. 2nd Mer. Indiana.

78.61 Section Corner.

North Between Secs. 5 & 6. On Road^{er}

110.00 Set Temp. gr. Sec. post

77.62 Intersected E & W. line 37 lbs W. of post
Timber Beech, ash, oak, Sugar &
Land, level Soil Rich.

South Correct line bet Secs. 5 & 6.

37.62 Set gr. Sec. post, from which
an Elm 16 in. dia bears S 25 E, 3 lbs
a Buckeye 6 " " " N 15 W, 16 "

77.62 Section Corner.

Surveyed March 21st 1811

By John G. Macan
Deputy Surveyor.

I certify that the foregoing transcripts
of field notes of Township N^o. 15 North
in Range N^o. 13 East 2nd Meridian, Indiana,
has been compared with the original
field notes in this office and found to be
correct.

Surveyor General's Office
Detroit Nov. 1. 1849.

Lucius Lyon,
Sur^g Genl.